Application No.: 10/767114

Automey Docker COLT 20.873 (101402-00008)

Response to Communications dated May 26, 2005 and November 2, 2005

page 2

II. Claims

1-12. (Canceled)

- 13. (Currently Amended) A retaining device (1) for at least two containers (5, 5'), comprising a basic body (11), where the basic body (11) has an accommodating opening (2), in which at least one of the containers (5, 5') is filled with a material for dental restorative work and the containers (5, 5') can be fixed in a defined removal sequence, and which ork allows for activation or access to the containers of the container (s) upon removal of the container (s) from the container, device.
- 14. (Currently Amended) A retaining device (1) according to <u>claim 13 claim 3</u> for containers (5, 5') containing materials for sequential use, where the accommodating opening (2) has in each case one mount (4) for at least a first and a second container (5, 5'), and where the accommodating opening (2) is designed such that the first container (5) can only be removed from the accommodating opening (2) after the second container (5') has already been removed.
- 15. (Previously Presented) A retaining device (1) according to claim 13, where the basic body (11) consists of an elastic polymer material such that the accommodating opening (2) can be widened elastically for removal of a container (5, 5')
- 16. (Previously Presented) A retaining device (1) according to claim 13 having at least two grip surfaces (9).
- 17. (Previously Presented) A retaining device (1) according to claim 13, where the accommodating opening (2) is a slot in a basic body (11), and the slot is provided with mounts (4) for enclosing the containers (5, 5).
- 18. (Previously Presented) A retaining device (1) according to claim 13, where the accommodating opening (2) has a profiling for securing the containers (5, 5') in a form-fitting manner.

84091272_1_101402_00008

Application No.: 10/767114

Attorney Docket: COLT 20.873 (101402-00008)

Response to Communications dated May 26, 2005 and November 2, 2005

page 3

- 19. (Previously Presented) A retaining device (1) according to claim 13, where the basic body (11) has at least one standing surface (10).
- 20. (Previously Presented) A retaining device (1) according to claim 13, where the basic body (11) and the mounts (4) are designed such that preliminary opening of the containers (5, 5') is prevented.
- 21. (Currently Amended) A container arrangement having at least two containers (5, 5') and a retaining device (1) for accommodating and connecting the containers (5, 5,), where at least one of the containers (5, 5') are is filled with material for dental restorative work and the containers (5, 5') are arranged in the retaining device (1) such that the containers can be removed from the retaining device (1) in a predeterminable sequence, and which only allows for access to offe condends of the condends upon temporal of the device.
- 22. (Previously Presented) A container arrangement according to claim 21, characterized in that the retaining device (1) and the containers (5, 5') are designed such that the retaining device (1) accommodates the containers (5, 5') in a form-fitting manner.

23. Cancelled

- 24. (Currently Amended) A container arrangement according to claim 21 wherein a first container (5) is filled with a material for restorative dental work which is only to be used after once another material, which is contained in the second container (5'), has been used.
- 25. (New) A container arrangement for the ordered delivery of material for dental restorative work where the basic body (11) of the retraining device (1) consists of an elastic polymer material such that an accommodating opening (2) can be widened elastically for removal of a container (5, 5') where the retaining device retains at least two containers (5, 5'), where material for dental restorative work is contained in at least a first container (5), and where the first container (5) is arranged in the container retraining device (1) along with at least one

84091272_1_101402_00005

Application No.: 10/767114
Attorney Docket: COLT 20.873 (101402-00008)
Response to Communications dated May 26, 2005 and November 2, 2005 nace 4

additional container (5') such that the containers can only be removed from the container

retraining device in a predetermined sequence, and whit only allows for activations

or access to the contacts of t

comprising the step of providing at least two containers (5, 5') which are kept in a retaining device (1) in a defined removal sequence, whereir the retaining device only allows for activation or access to the rotation of the rotation, at the rotation of the rotation, along the retaining

27. (New) A method of assuring a predetermined treatment and/or mixing sequencing in dental restoration work comprising the step of providing a container arrangement according to claim 25.

28. (New) A method of assuring a predetermined treatment and/or mixing sequencing in dental restoration work comprising the step of providing at least two containers (5, 5') which are kept in a retaining device (1) in a defined removal sequence, where I where the reducity device of allows for activation or across do the contests of the loss of the contests of the loss in the loss of the contests of the loss in the loss in